



Singapore–Cambridge General Certificate of Education Normal (Technical) Level (2026)

Mathematics Syllabus T (Syllabus 4046)

CONTENTS

	Page
INTRODUCTION	3
AIMS	3
ASSESSMENT OBJECTIVES	4
SCHEME OF ASSESSMENT	5
PROBLEMS IN REAL-WORLD CONTEXTS	6
USE OF CALCULATORS	6
SUBJECT CONTENT	7
MATHEMATICAL FORMULAE	11
MATHEMATICAL NOTATION	12

INTRODUCTION

The syllabus is intended to provide students with the fundamental mathematical knowledge and skills to prepare them for technical- or service-oriented education. The syllabus consists of three content strands, namely, *Number and Algebra, Geometry and Measurement,* and *Statistics and Probability*. Application of mathematics is an important emphasis of the content strands. The approach to teaching should involve meaningful contexts so that students can see and appreciate the relevance and application of mathematics in their daily life and the world around them. Real-world contexts are realistic contexts that naturally have practical applications of mathematics, and the mathematics can come from any part of the 'Content'.

AIMS

The N(T)-Level Mathematics Syllabus aims to enable all students who are bound for post-secondary vocational education to:

- acquire mathematical concepts and skills for real life and to support learning in other subjects
- develop thinking, reasoning, communication, application and metacognitive skills through a mathematical approach to problem-solving
- connect ideas within mathematics and between mathematics and other subjects through application of mathematics
- build confidence in using mathematics and appreciate its value in making informed decisions in real life.

ASSESSMENT OBJECTIVES

The assessment will test candidates' abilities to:

AO1 Use and apply standard techniques

- recall and use facts, terminology and notation
- read and use information directly from tables, graphs, diagrams and texts
- carry out routine mathematical procedures

AO2 Solve problems in a variety of contexts

- interpret information to identify the relevant mathematics concept, rule or formula to use
- translate information from one form to another
- make and use connections across topics/subtopics
- formulate problems into mathematical terms
- analyse and select relevant information and apply appropriate mathematical techniques to solve problems
- interpret results in the context of a given problem

AO3 Reason and communicate mathematically

- justify mathematical statements
- provide explanation in the context of a given problem

Approximate weightings for the assessment objectives are as follows:

AO1	65%
AO2	30%
AO3	5%

SCHEME OF ASSESSMENT

Paper	Duration	Description	Marks	Weighting
Paper 1	1 hour 30 minutes	 There will be 11–13 short answer questions of 2–4 marks each, largely context-free and testing fundamental concepts and skills, followed by 2 longer questions of 6–8 marks, developed around a context. Candidates are required to answer all questions which will cover topics from the following strands Number and Algebra Geometry and Measurement 	50	50%
Paper 2	1 hour 30 minutes	 There will be 11–13 short answer questions of 2–4 marks each, largely context-free and testing fundamental concepts and skills, followed by 2 longer questions of 6–8 marks, developed around a context. Candidates are required to answer all questions which will cover topics from the following strands Number and Algebra Statistics and Probability 	50	50%

NOTES

- 1. Omission of essential working will result in loss of marks.
- 2. Relevant mathematical formulae will be provided for candidates.
- 3. Candidates should also have geometrical instruments with them for Paper 1.
- 4. Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question. In questions which explicitly require an answer to be shown to be correct to a specific accuracy, the answer must be first shown to a higher degree of accuracy.
- 5. SI units will be used in questions involving mass and measures.

Both the 12-hour and 24-hour clock may be used for quoting times of the day. In the 24-hour clock, for example, 3.15 a.m. will be denoted by 03 15; 3.15 p.m. by 15 15.

- 6. Candidates are expected to be familiar with the solidus notation for the expression of compound units, e.g. 5 cm/s for 5 centimetres per second, 13.6 g/cm³ for 13.6 grams per cubic centimetre.
- 7. Unless the question requires the answer in terms of π , the calculator value for π or $\pi = 3.142$ should be used.
- 8. Spaces will be provided in each question paper for working and answers.

PROBLEMS IN REAL-WORLD CONTEXTS

Notwithstanding the presentation of the topics in 3 separate strands in the syllabus document, it is envisaged that some examination questions are developed around a context, particularly the 2 longer questions at the end of each paper. (The short-answer questions are largely context-free.)

Problems in real-world contexts may be based on contexts:

- In everyday life (including time schedules, 24-hour clock, time zone variation, transport schedules, sports and games, recipes, floor plans, profit and loss (<u>exclude</u> use of the terms 'percentage profit' and 'percentage loss'), etc.)
- Involving personal and household finance (including simple and compound interest, taxation, instalments, utilities bills, money exchange, etc.)

These problems may also require:

- Interpreting and analysing data from tables and graphs, <u>excluding</u> distance-time and speed-time graphs
- Interpreting the solution in the context of the problem.

USE OF CALCULATORS

An approved calculator may be used in **both** Paper 1 and Paper 2.

SUBJECT CONTENT

No.	Topic/Sub-topics	Content
NUMB	ER AND ALGEBRA	
N1	Numbers and their operations	 negative numbers and primes (exclude prime factorisation) integers and their four operations four operations on fractions and decimals (including negative fractions and decimals) calculations with calculator, including squares, cubes, square roots and cube roots representation and ordering of numbers on the number line use of <, >, ≤, ≥ approximation and estimation (including rounding off numbers to a required number of decimal places or significant figures and estimating the results of computation) use of index notation for integer powers use of standard form <i>A</i> × 10ⁿ, where <i>n</i> is an integer, and 1 ≤ <i>A</i> < 10
N2	Ratio and proportion	 comparison between two or more quantities by ratio dividing a quantity in a given ratio ratios involving fractions and decimals equivalent ratios writing a ratio in its simplest form map scales (distance and area) direct and inverse proportion
N3	Percentage	 expressing percentage as a fraction or decimal finding the whole given a percentage part expressing one quantity as a percentage of another comparing two quantities by percentage percentages greater than 100% finding one quantity given the percentage and the other quantity increasing/decreasing a quantity by a given percentage finding percentage increase/decrease
N4	Rate and speed	 rates and average rates (including the concepts of speed and average speed) conversion of units (e.g. km/h to m/s)

No.	Topic/Sub-topics	Content	
N5	Algebraic expressions and formulae	• using letters to represent numbers • interpreting notations: * $ab as a \times b$ * $\frac{a}{b} as a \div b \text{ or } a \times \frac{1}{b}$ * $a^2 as a \times a, a^3 as a \times a \times a, a^2b as a \times a \times b,$ * $3y as y + y + y \text{ or } 3 \times y$ * $3(x + y) as 3 \times (x + y)$ * $\frac{3 \pm y}{5} as (3 \pm y) \div 5 \text{ or } \frac{1}{5} \times (3 \pm y)$ • evaluation of algebraic expressions and formulae translation of simple real-world situations into algebraic expressions • recognising and representing number sequences (including finding an algebraic expression for the <i>n</i> th term for simple cases such as $n + 3, 2n + 1$) • addition and subtraction of linear expressions • implification of linear expressions, such as: * $-2(3x - 5) + 4x$ * $\frac{2x}{3} - \frac{3(x-5)}{2}$ • expansion of the product of two linear expressions • multiplication and division of simple algebraic fractions, such as: * $\left(\frac{3a}{4b^2}\right)\left(\frac{5ab}{3}\right)$ * $\frac{3a}{4} \div \frac{9a^2}{10}$ • changing the subject of a simple formula • finding the value of an unknown quantity in a given formula • factorisation of linear expressions of the form $ax + kay$ • factorisation of quadratic expressions of the form $x^2 + px + q$ Exclude: • use of * $(a \pm b)^2 = a^2 \pm 2ab + b^2$ * $a^2 - b^2 = (a + b)(a - b)$ • addition and subtraction of algebraic fractions such as $\frac{1}{x} + \frac{1}{x-1}$	
N6	Functions and graphs	 Cartesian coordinates in two dimensions graph of a set of ordered pairs as a representation of a relationship between two variables linear functions (y = ax + b) and quadratic functions (y = ax² + bx + c) graphs of linear functions the gradient of a linear graph as the ratio of the vertical change to the horizontal change (positive and negative gradients) graphs of quadratic functions and their properties positive or negative coefficient of x² maximum and minimum points symmetry 	

No.	Topic/Sub-topics	Content	
N7	Equations	 solving linear equations in one variable solving simple fractional equations that can be reduced to linear equations, such as: x	
GEOM	GEOMETRY AND MEASUREMENT		
G1	Angles, triangles and quadrilaterals	 right, acute, obtuse and reflex angles vertically opposite angles, angles on a straight line and angles at a point angles formed by two parallel lines and a transversal: corresponding angles, alternate angles, interior angles properties of triangles, special quadrilaterals properties of perpendicular bisectors of line segments and angle bisectors construction of simple geometrical figures from given data (including perpendicular bisectors, where appropriate 	
G2	Symmetry, congruence and similarity	 line and rotational symmetry of plane figures lines of symmetry order of rotational symmetry congruent and similar figures properties of similar triangles and quadrilaterals: * corresponding angles are equal * corresponding sides are proportional 	
G3	Pythagoras' theorem and trigonometry	 use of Pythagoras' theorem determining whether a triangle is right-angled given the lengths of three sides use of trigonometric ratios (sine, cosine and tangent) of acute angles to calculate unknown sides and angles in right-angled triangles (including problems involving angles of elevation and depression) 	

No.	Topic/Sub-topics	Content
G4	Mensuration	• area of triangle as $\frac{1}{2} \times base \times height$
		area and circumference of circle
		area of parallelogram and trapezium
		 problems involving perimeter and area of composite plane figures
		 volume and surface area of cube, cuboid, prism, cylinder, pyramid, cone and sphere
		 conversion between cm² and m², and between cm³ and m³
		 problems involving volume and surface area of composite solids
		 arc length as fraction of the circumference and sector area as fraction of the area of a circle
STAT	ISTICS AND PROBA	BILITY
S1	Data handling and analysis	 simple concepts in collecting, classifying and tabulating data analysis and interpretation of: tables
		* bar graphs
		* pictograms
		* line graphs
		* pie charts
		* dot diagrams
		 histograms with equal class intervals
		 cumulative frequency diagrams purposes and use, advantages and disadvantages of the different forms of
		statistical representations
		purposes and use of mean, mode and median
		calculation of the mean, mode and median for a set of ungrouped data
		 percentiles, quartiles, range and interquartile range
S2	Probability	 probability as a measure of chance probability of single events (including listing all the possible outcomes in a
		simple chance situation to calculate the probability)

MATHEMATICAL FORMULAE

Note:

Below is the formulae list for Paper 1. For Paper 2, only the section on *Number and Algebra* will be given.

Number and Algebra

Compound interest

Total amount
$$= P \left(1 + \frac{r}{100} \right)^n$$

Quadratic equation $ax^2 + bx + c = 0$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Geometry and Measurement

Curved surface area of a cone = πrl

Surface area of a sphere = $4\pi r^2$

Volume of a cone =
$$\frac{1}{3}\pi r^2 h$$

Volume of a pyramid = $\frac{1}{3}$ × base area × height

Volume of a sphere = $\frac{4}{3}\pi r^3$

MATHEMATICAL NOTATION

The list which follows summarises the notation used in Cambridge's Mathematics examinations. Although primarily directed towards A-Level, the list also applies, where relevant, to examinations at all other levels.

1. Set Notation	
E	is an element of
∉	is not an element of
$\{x_1, x_2, \ldots\}$	the set with elements x_1, x_2, \ldots
{ <i>x</i> :}	the set of all x such that
n(<i>A</i>)	the number of elements in set A
Ø	the empty set
C	universal set
A'	the complement of the set A
Z	the set of integers, {0, \pm 1, \pm 2, \pm 3,}
\mathbb{Z}^+	the set of positive integers, {1, 2, 3,}
Q	the set of rational numbers
\mathbb{Q}^+	the set of positive rational numbers, $\{x \in \mathbb{Q} : x > 0\}$
\mathbb{Q}_0^+	the set of positive rational numbers and zero, $\{x \in \mathbb{Q} : x \ge 0\}$
R	the set of real numbers
\mathbb{R}^+	the set of positive real numbers, $\{x \in \mathbb{R} : x > 0\}$
\mathbb{R}^+_0	the set of positive real numbers and zero, $\{x \in \mathbb{R} : x \ge 0\}$
\mathbb{R}^{n}	the real <i>n</i> -tuples
\mathbb{C}	the set of complex numbers
\subseteq	is a subset of
C	is a proper subset of
⊈	is not a subset of
¢	is not a proper subset of
U	union
\cap	intersection
[<i>a</i> , <i>b</i>]	the closed interval { $x \in \mathbb{R}$: $a \leq x \leq b$ }
[<i>a</i> , <i>b</i>)	the interval { $x \in \mathbb{R}$: $a \leq x < b$ }
(<i>a</i> , <i>b</i>]	the interval { $x \in \mathbb{R}$: $a < x \leq b$ }
(<i>a</i> , <i>b</i>)	the open interval { $x \in \mathbb{R}$: $a < x < b$ }

2. Miscellaneous Symbols

=	is equal to
+	is not equal to
=	is identical to or is congruent to
~	is approximately equal to
x	is proportional to
<	is less than
≼;≯	is less than or equal to; is not greater than
>	is greater than
≥; ≮	is greater than or equal to; is not less than
∞	infinity

3. Operations

a + b	a plus b
a-b	a minus b
$a \times b$, ab , $a.b$	a multiplied by b
$a \div b, \frac{a}{b}, a/b$	a divided by b
<i>a</i> : <i>b</i>	the ratio of a to b
$\sum_{i=1}^{n} a_i$	$a_1 + a_2 + \ldots + a_n$
\sqrt{a}	the positive square root of the real number a
a	the modulus of the real number a
<i>n</i> !	<i>n</i> factorial for $n \in \mathbb{Z}^+ \cup \{0\}$, (0! = 1)
$\binom{n}{r}$	the binomial coefficient $\frac{n!}{r!(n-r)!}$, for $n, r \in \mathbb{Z}^+ \cup \{0\}, 0 \leqslant r \leqslant n$
	$rac{n(n-1)(n-r+1)}{r!}$, for $n \in \mathbb{Q}, r \in \mathbb{Z}^+ \cup \{0\}$

4. Functions

f	the function f
f(<i>x</i>)	the value of the function f at x
$f: A \rightarrow B$	f is a function under which each element of set A has an image in set B
f: $x \mapsto y$	the function f maps the element x to the element y
f^{-1}	the inverse of the function f
g _o f, gf	the composite function of f and g which is defined by $(g \circ f)(x)$ or $gf(x) = g(f(x))$
$\lim_{x \to a} f(x)$	the limit of $f(x)$ as x tends to a
Δx ; δx	an increment of x
$\frac{\mathrm{d}y}{\mathrm{d}x}$	the derivative of y with respect to x
$\frac{\mathrm{d}^n y}{\mathrm{d}x^n}$	the <i>n</i> th derivative of <i>y</i> with respect to <i>x</i>
$f'(x), f''(x),, f^{(n)}(x)$	the first, second, <i>n</i> th derivatives of $f(x)$ with respect to x
$\int y \mathrm{d}x$	indefinite integral of y with respect to x
$\int_{a}^{b} y \mathrm{d}x$	the definite integral of y with respect to x for values of x between a and b
<i>x</i> , <i>x</i> ,	the first, second, derivatives of x with respect to time

5. Exponential and Logarithmic Functions

e	base of natural logarithms
e^x , exp x	exponential function of x
$\log_a x$	logarithm to the base a of x
ln x	natural logarithm of x
lg x	logarithm of x to base 10

6. Circular Functions and Relations

sin, cos, tan, cosec, sec, cot	the circular functions
\sin^{-1} , \cos^{-1} , \tan^{-1} \csc^{-1} , \sec^{-1} , \cot^{-1}	$\Big\}$ the inverse circular functions

7. Complex Numbers

i	the square root of -1		
Z	a complex number,	z	= x + iy
			$= r(\cos \theta + i \sin \theta), r \in \mathbb{R}_0^+$
			$=r\mathrm{e}^{\mathrm{i} heta},r\in\mathbb{R}_{0}^{+}$

Re z	the real part of z, Re $(x + iy) = x$
Im z	the imaginary part of z, $\text{Im}(x + iy) = y$
	the modulus of z, $ x+iy = \sqrt{x^2 + y^2}$, $ r(\cos\theta + i\sin\theta) = r$
arg z	the argument of <i>z</i> , $\arg(r(\cos \theta + i \sin \theta)) = \theta$, $-\pi < \theta \leq \pi$
<i>z</i> *	the complex conjugate of <i>z</i> , $(x + iy)^* = x - iy$

8. Matrices

Μ	a matrix M
\mathbf{M}^{-1}	the inverse of the square matrix ${\bf M}$
\mathbf{M}^{T}	the transpose of the matrix ${f M}$
det M	the determinant of the square matrix $\ensuremath{\mathbf{M}}$

9. Vectors

a	the vector a
\overrightarrow{AB}	the vector represented in magnitude and direction by the directed line segment AB
â	a unit vector in the direction of the vector ${f a}$
i, j, k	unit vectors in the directions of the Cartesian coordinate axes
a	the magnitude of a
$\left \overrightarrow{AB}\right $	the magnitude of \overrightarrow{AB}
a∙b	the scalar product of \mathbf{a} and \mathbf{b}
a×b	the vector product of \mathbf{a} and \mathbf{b}

10. Probability and Statistics	
<i>A</i> , <i>B</i> , <i>C</i> , etc.	events
$A \cup B$	union of events A and B
$A \cap B$	intersection of the events A and B
P(A)	probability of the event A
A'	complement of the event A , the event 'not A '
$P(A \mid B)$	probability of the event A given the event B
<i>X</i> , <i>Y</i> , <i>R</i> , etc.	random variables
<i>x</i> , <i>y</i> , <i>r</i> , etc.	value of the random variables X, Y, R, etc.
x_1, x_2, \ldots	observations
$f_1, f_2,$	frequencies with which the observations, x_1, x_2, \dots occur
p (<i>x</i>)	the value of the probability function $P(X = x)$ of the discrete random variable X
$p_1, p_2,$	probabilities of the values x_1, x_2, \dots of the discrete random variable X
f(x), g(x)	the value of the probability density function of the continuous random variable X
F(x), G(x)	the value of the (cumulative) distribution function $P(X \leq x)$ of the random variable X
$\mathrm{E}(X)$	expectation of the random variable X
E[g(X)]	expectation of g(X)
Var(X)	variance of the random variable X
$\mathbf{B}(n,p)$	binomial distribution, parameters n and p
$Po(\mu)$	Poisson distribution, mean μ
$N(\mu, \sigma^2)$	normal distribution, mean μ and variance σ^2
μ	population mean
σ^2	population variance
σ	population standard deviation
\overline{x}	sample mean
s^2	unbiased estimate of population variance from a sample,
	$s^2 = \frac{1}{n-1} \sum (x - \overline{x})^2$
arphi	probability density function of the standardised normal variable with distribution N $(0, 1)$
Φ	corresponding cumulative distribution function
ρ	linear product-moment correlation coefficient for a population
r	linear product-moment correlation coefficient for a sample